

To: Hammerschmidt, Ron[Hammerschmidt.Ron@epa.gov]; Gravatt, Dan[Gravatt.Dan@epa.gov];
Doster, Branden[branden.doster@dnr.mo.gov]; Tapia, Cecilia[Tapia.Cecilia@epa.gov]
Cc: Tippet Mosby, Leanne[Leanne.TippetMosby@dnr.mo.gov]
From: Schmidt, Aaron
Sent: Thur 9/12/2013 3:01:14 PM
Subject: FW: Bridgeton SLF- GCPT Investigation Plan- response to comment letter
GCPT Work Plan - Revised 9-10-13.pdf
9-10-13 Response Letter - GCPT Work Plan and HASP.pdf
GCPT Health and Safety Plan Revised 9-10-13.pdf

Ron/Cecilia – I believe you have these already, but attached are the RS responses to the GCPT comment letter that DNR sent them 20 days ago. For all those reviewing, we request an expedited evaluation of these responses, and we envision our Federal Facilities Section reaching out to Dan Gravatt and summarizing their findings as we develop an approval or conditional approval on this work plan. Any concerns, call me at 573-751-0131.

Branden - I would like to see that coordination call to Dan conveying our evaluation by end of this week, so I'm asking for Friday. This is a high priority on our part and I appreciate you all rearranging your schedule to get this done. Provide a summary to me at that time also, which would allow a conceptual response to RS to be sent out early to mid- next week. Thanks.

From: Nagel, Chris
Sent: Wednesday, September 11, 2013 11:00 AM
To: Schmidt, Aaron; Doster, Branden; Muenks, Shawn; Drake, Tiffany; Garoutte, Jonathan
Subject: Bridgeton SLF- GCPT Investigation Plan- response to comment letter

Attached are Republic's response documents addressing our comment letter.

Chris Nagel

Director

Solid Waste Management Program

Missouri Department of Natural Resources

(573) 526-3900

(573) 526-3902

chris.nagel@dnr.mo.gov

From: Beaudoin, Michael [<mailto:mbeaudoin@cecinc.com>]

Sent: Tuesday, September 10, 2013 6:47 PM

To: Schmidt, Aaron; Beaudoin, Michael; bmartz@republicservices.com; Brian Power (bpower@republicservices.com); Craig Almanza (calmanza@republicservices.com); Cunningham, Ally (LG) (ACunningham@LATHROPGAGE.COM); Jessica E. Merrigan (jmerrigan@lathropgage.com); Jim Teter (jteter@republicservices.com); Joe Benco (jbenco@republicservices.com); JHaasis.stlouisco.com; John Nickerson; DNRContact, lyates@stlouisco.com; Mulhearn, Mary; Mike Zlatic; St. Louis Dept. of Health; William Beck

Cc: dfeezor@feezorengineering.com; Nagel, Chris; Fitch, Charlene

Subject: Bridgeton Gamma Cone Penetration Test (GCPT) Work Plan

Three documents have been uploaded to the Lathrop & Gage portal to which you have been provided access. The documents are in the "Other Submittals" portion of the page:

- GCPT Work Plan – revised 09-10-13
- GCPT Health and Safety Plan – Revised 09-10-13
- Response Letter: GCPT Work Plan and HASP

We will be providing the MDNR with two hard copies within a couple of days.

Michael R. Beaudoin, P.E. / Principal

Civil & Environmental Consultants, Inc.

28373 Beck Road · Suite H-10 · Wixom, Michigan 48393

Toll-Free: 866-380-2324 · Direct: 248.374.8610 · Fax: 248-374-8599

Mobile: 248-804-8022 · <http://www.cecinc.com>

Senior Leadership · Integrated Services · Personal Business Relationships

This electronic communication and any attachments are intended solely for the use of the person or entity to which it is addressed, and may contain information that is confidential, privileged and exempt from disclosure under applicable law, including copyright law. If you are not the intended recipient of this message, you are prohibited from disclosing, reproducing, distributing, disseminating or otherwise using this transmission. Please promptly notify the sender by reply electronic communication and immediately delete this message from your system.